

SHRI RAM ANALYTICAL LABORATORY

4674



AS/NZS ISO 9001 : 2015 Certified Laboratory

Mob. : 9910058519, 9910056519
Land Line : 0120-4297139
E-mail :- shriramalab@gmail.com
Web. : www.shriramalab.com

Test Report

Report No : SRAL/SOP/202306019045	Date : 19/06/2023
Issued To: The Shri Ram Universal School HS 03, Techzone IV, Greater Noida West, Gautam Budh Nagar, Uttar Pradesh 201306	Your Reference : Email
	Date of Receipt : 15/06/2023
	Our Reference : Email
	Test Started on : 15/06/2023
	Test Completed on : 17/06/2023
	Page No : 1 of 3
Sample Description: One Sample Received as "Essential Analysis of Drinking Water"	

"Essential Test of Drinking water"

S. No.	Parameter	Test	Essential test as per IS:10500:2012		Protocol
			Desirable Limits	Permissible Limits	
1	Colour	<5.0	5.0	15.0	IS : 3025 (pt-4)
2	Odour	Agreeable	Agreeable	Agreeable	IS : 3025 (pt-5)
3	Taste	Agreeable	Agreeable	Agreeable	IS : 3025 (pt-7)
4	Turbidity	<1.0 NTU	<1.0	5	IS : 3025 (pt-10)
5	pH Value	7.1	6.5 to 8.5	No relaxation	IS : 3025 (pt-11)
6	Total Hardness as CaCO ₃	18 mg/l	200.0	600.0	IS : 3025 (pt-21)
7	Chloride	14.9 mg/l	250.0	1000.0	IS : 3025 (pt-32)
8	Total Dissolved Solids	105 mg/l	500 mg/l	2000 mg/l	IS : 3025 (pt-16)
9	Residual Free Chlorine	<1.0 mg/l	0.2	1	IS : 3025 (pt-26)
10	Fluoride as F	<1.0mg/l	1.0	1.5	IS : 3025 (pt-60)
11	Calcium	12.0 mg/l	75.0	200.0	IS : 3025 (pt-40)
12	Total Alkalinity as CaCO ₃	90 mg/l	200	600	IS : 3025 (pt-23)


Authorized Signatory

Terms & Conditions

- ✓ Total liability of our laboratory is limited to the **Invoiced Amount**. No liability will be accepted after the sample is taken back.
- ✓ The results listed refer only to the tested sample and applicable parameters. Endorsement of product is neither inferred nor implied.
- ✓ The sample description is not verified in all cases and is given "As described" by the customer. Sample not drawn by us and analysis conducted on "As Received Basis" unless specified otherwise.
- ✓ Sample disposed after suitable retaining period.
- ✓ a) All Perishable items such as Milk Products, Food Items etc- Immediately after reporting.
- ✓ b) Water Samples / Non-perishable items - after Four week of reporting (provided the party has submitted the sufficient quantity of samples)
- ✓ Any Complaints about this report should be communicated in writing within 7 days of issue of this report.
- ✓ This report is not to be reproduced wholly or in parts and cannot be used as evidence in a court of law and shall not be used in advertising media without permission of CEO in writing.
- ✓ This is to be noted that utmost care is taken while preparing this report by our computer operator while feeding manually the data such as testing results , date , report number etc in the respective report ,but as it's all human activity so if any clerical error/ mistakes occurs than its just a matter of unintentional human mistake , in this case please confirm this in written to the lab within a period of 7 days & we will rectify it within a stipulated time.
- ✓ All disputes are subject to the Ghaziabad Jurisdiction.
- ✓ We hereby declare that we are not concerned & misrepresented in any manner what it shall be to "M/S Shri Ram Institute for Industrial Research Delhi."
- ✓ E. & O.E

662/12, I-Floor, Old Kirana Committee Building, Ram Nagar, Kirana Mandi, Ghaziabad - 201001 (U.P.)

SHRI RAM ANALYTICAL LABORATORY



Mob. : 9910058519, 9910056519
 Land Line : 0120-4297139
 E-mail :- shriramalab@gmail.com
 Web. : www.shriramalab.com

AS/NZS ISO 9001 : 2015 Certified Laboratory

Test Report

Report No : SRAL/SOP/202306019045	Date : 19/06/2023
Issued To: The Shri Ram Universal School HS 03, Techzone IV, Greater Noida West, Gautam Budh Nagar, Uttar Pradesh 201306	Your Reference : Email
	Date of Receipt : 15/06/2023
	Our Reference : Email
	Test Started on : 15/06/2023
	Test Completed on : 17/06/2023
	Page No : 2 of 3
Sample Description: One Sample Received as "Chemical & Microbiological Analysis of Drinking Water"	

"Chemical Test of Drinking Water"

S. No.	Parameter	Test Result	Chemical test as per IS:10500:2012		Protocol
			Desirable Limits	Permissible Limits	
1	Iron as Fe	< 0.1 mg/l	0.3	No relaxation	IS : 3025 (pt-53)
2	Magnesium (as Mg)	1.4 mg/l	30 mg/l	100 mg/l	IS: 3025 (pt-46)
3	Copper (as Cu)	<0.005 mg/l	0.05 mg/l	1.5 mg/l	IS: 3025 (pt-42)
4	Manganese (as Mn)	<0.01 mg/l	0.1 mg/l	0.3 mg/l	IS: 3025 (pt-59)
5	Sulphate (as SO ₄)	< 0.005 mg/l	200 mg/l	400 mg/l	IS: 3025 (pt-24)
6	Nitrate (as NO ₃)	< 0.1 mg/l	45 mg/l	No relaxation	IS: 3025 (pt-34)
7	Phenolic Compounds (as C ₆ H ₅ OH)	< 0.001 mg/l	0.001 mg/l	0.002 mg/l	IS: 3025 (pt-43)
8	Mercury (as Hg)	< 0.001 mg/l	0.001 mg/l	No relaxation	IS: 3025 (pt-48)
9	Selenium (as Se)	< 0.005 mg/l	0.01 mg/l	No relaxation	IS: 3025 (pt-56)
10	Arsenic (as As)	0.005 mg/l	0.01 mg/l	No relaxation	IS: 3025 (pt-37)
11	Cyanide (as Cn)	Absent	0.05 mg/l	No relaxation	APHA
12	Lead (as Pb)	< 0.005 mg/l	0.01 mg/l	No relaxation	IS: 3025 (pt-47)
13	Zinc (as Zn)	< 0.01 mg/l	5.0 mg/l	15.0 mg/l	IS: 3025 (pt-49)
14	Total Chromium (as Cr)	< 0.005 mg/l	0.05 mg/l	No relaxation	IS: 3025 (pt-52)
15	Aluminum (as Al)	< 0.005 mg/l	0.03 mg/l	0.2 mg/l	APHA
16	Boron (as B)	< 0.25 mg/l	0.5 mg/l	1.0 mg/l	IS: 3025 (pt-57)
17	Cadmium (as Cd)	< 0.001 mg/l	0.003 mg/l	No relaxation	IS: 3025 (pt-41)
18	Anionic Detergents (as MBAS)	< 0.05 mg/l	0.2 mg/l	1.0 mg/l	APHA

Authorized Signatory

Terms & Conditions

- Total liability of our laboratory is limited to the Invoiced Amount. No liability will be accepted after the sample is taken back.
- The results listed refer only to the tested sample and applicable parameters. Endorsement of product is neither inferred nor implied.
- The sample description is not verified in all cases and is given "As described" by the customer. Sample not drawn by us and analysis conducted on "As Received Basis" unless specified otherwise.
- Sample disposed after suitable retaining period.
- a) All Perishable items such as Milk Products, Food Items etc- Immediately after reporting.
- b) Water Samples / Non-perishable items - after Four week of reporting (provided the party has submitted the sufficient quantity of samples)
- Any Complaints about this report should be communicated in writing within 7 days of issue of this report.
- This report is not to be reproduced wholly or in parts and cannot be used as evidence in a court of law and shall not be used in advertising media without permission of CEO in writing.
- This is to be noted that utmost care is taken while preparing this report by our computer operator while feeding manually the data such as testing results, date, report number etc in the respective report, but as it's all human activity so if any clerical error/ mistakes occurs than its just a matter of unintentional human mistake, in this case please confirm this in written to the lab within a period of 7 days & we will rectify it within a stipulated time.
- All disputes are subject to the Ghaziabad Jurisdiction.
- We hereby declare that we are not concerned & misrepresented in any manner what it shall be to "M/S Shri Ram Institute for Industrial Research Delhi."
- E. & O.E

SHRI RAM ANALYTICAL LABORATORY



Mob : 9910058519, 9910056519
 Land Line : 0120-4297139
 E-mail :- shriramalab@gmail.com
 Web : www.shriramalab.com

AS/NZS ISO 9001 : 2015 Certified Laboratory

Test Report

Report No : SRAL/SOP/202306019045	Date : 19/06/2023
Issued To: The Shri Ram Universal School HS 03, Techzone IV, Greater Noida West, Gautam Budh Nagar, Uttar Pradesh 201306	Your Reference : Email
	Date of Receipt : 15/06/2023
	Our Reference : Email
	Test Started on : 15/06/2023
	Test Completed on : 17/06/2023
	Page No : 3 of 3
Sample Description: One Sample Received as "Chemical & Microbiological Analysis of Drinking Water"	

"Microbiological Analysis of Drinking Water"

S. No.	Parameter	Test Result	Micro test as per IS:10500:2012		Protocol
			Desirable limit	Permissible limit	
1	Coli form	Present	Absent/ 100ml	Absent/100ml	IS : 1622
2	E. Coli	Absent	Absent/ 100ml	Absent/100ml	IS : 1622

Remark: As per given above tested parameter, water Sample meet as per IS: 10500:2012 in Desirable Limit, Hence water is suitable for Drinking Purpose.

****End of Report****



Terms & Conditions

- Total liability of our laboratory is limited to the **Invoiced Amount**. No liability will be accepted after the sample is taken back.
- The results listed refer only to the tested sample and applicable parameters. Endorsement of product is neither inferred nor implied.
- The sample description is not verified in all cases and is given "As described" by the customer. Sample not drawn by us and analysis conducted on "As Received Basis" unless specified otherwise.
- Sample disposed after suitable retaining period.
- a) All Perishable items such as Milk Products, Food Items etc- Immediately after reporting.
- b) Water Samples / Non-perishable items - after Four week of reporting (provided the party has submitted the sufficient quantity of samples)
- Any Complaints about this report should be communicated in writing within 7 days of issue of this report
- This report is not to be reproduced wholly or in parts and cannot be used as evidence in a court of law and shall not be used in advertising media without permission of CEO in writing.
- This is to be noted that utmost care is taken while preparing this report by our computer operator while feeding manually the data such as testing results , date , report number etc in the respective report ,but as it's all human activity so if any clerical error/ mistakes occurs than its just a matter of unintentional human mistake , in this case please confirm this in written to the lab within a period of 7 days & we will rectify it within a stipulated time.
- All disputes are subject to the Ghaziabad Jurisdiction.
- We hereby declare that we are not concerned & misrepresented in any manner what it shall be to "M/S Shri Ram Institute for Industrial Research Delhi."
- E & O.E



Greater Noida Industrial Development Authority

Plot No.-01, Sector- K.P.-4, Greater Noida City, District-Gautam Budh Nagar (U.P.)
 website: www.greaternoidaauthority.in email id: authority@gnida.in

Letter Ref. No. : JAL/2023/207

638
07/28/2023, 12:03:06


Date : 26/07/2023

638
07/28/2023, 12:03:25

SAFE DRINKING WATER CERTIFICATE

It is certified that drinking water as per test report (attached) from SHREE RAM ANALYTICAL LABORATORY, 662/12, 1 Floor, Old Kirana Committee Building, Ram Nagar, Kirana Mandi, Ghaziabad in premises of **The Shri Ram Universal School, HS-03, Techzone-04, Greater Noida West** was found satisfactory. You are requested to ensure to above the condition throughout the norms by the Central/State/UP Govt.

This certificate is valid for one year from date of issue.


 Senior Manager (JAL)

827
07/26/23

To,

The Principal
 The Shri Ram Universal School,
 HS-03, Techzone-04,
 Greater Noida West,
 G.B. Nagar (U.P.)

Digitized by www.greaternoidaauthority.in

- 41 -

C:\Users\B0711\Desktop\DESKTOP - Data - Word File - Safe Drinking Letter Docx

JUL 31, 2023, 13:53



GREATER NOIDA INDUSTRIAL DEVELOPMENT AUTHORITY
Plot No.01, Sector Knowledge Park-IV, Greater Noida
Distt.- Gautam Budh Nagar (UP)

Ref.: H.D./2023/

722

Date: 14/06/2023

SANITARY CONDITION CERTIFICATE

It is certified that an inspection team headed by under signed from **Health Department, GNIDA** inspected the **The Shri Ram Universal School**, Plot No.-HS-03, Tech Zone-IV, Greater Noida (West), Distt- G.B. Nagar (U.P.) premises has been found satisfactory during the inspection. You are requested to ensure the above conditions throughout the session as per the norms prescribed by the Central/State/U.T Govt.

The above valid for a period of **One Year**.


Senior Manager (Health)

वरिष्ठ प्रबन्धक (स्वास्थ्य)
ग्रेड नौ० आ० वि० प्राधिकरण

To,

Head of Administration
The Shri Ram Universal School
Plot No.-HS-03, Tech Zone-IV
Greater Noida (West)
Distt- G.B. Nagar (U.P.)